

THE KITCHEN FACTOR
THAT MAKES

C 😊 😊 KING
A PLEASURE

SINCE 1972



PROFESSIONAL ALUMINIUM
COOKING POTS FOR
INSTITUTIONAL KITCHENS

SIZES STARTING FROM
1 LTR. TO 1,000 LTRS.



ALUMINIUM PROFESSIONAL COOKWARE

TOPE SPECIFICATIONS

Size	Edge to Edge	Inner Diameter	Height	Water Capacity	Weight Kgs.			
	Inch.	Inch.	Inch.		Light	Medium	Heavy	Lid
					19 G	13 G		19 G
10	6.50	5.50	3.25	1.00	0.125	0.250		0.060
11	7.00	6.00	3.50	1.25	0.150	0.300		0.070
12	7.75	6.50	3.75	1.60	0.200	0.400		0.080
13	8.25	7.00	4.00	2.00	0.250	0.500		0.090
14	8.75	7.50	4.25	2.50	0.275	0.550		0.100
15	9.25	8.00	4.50	3.25	0.300	0.600		0.120
16	9.75	8.50	4.75	4.00	0.350	0.750		0.160
17	10.25	9.00	5.00	4.75	0.400	0.850		0.190
18	11.00	9.50	5.25	5.50	0.450	0.950		0.210
		TOTAL			2.500	5.150		1.080
					18 G	13 G	10 G	19 G
19	11.50	10.00	5.75	7.00	0.500	1.000	1.500	0.220
20	12.00	10.50	6.00	8.00	0.550	1.100	1.700	0.230
21	12.50	11.00	6.25	9.25	0.600	1.300	1.900	0.240
22	13.00	11.50	6.50	10.50	0.650	1.400	2.000	0.260
23	13.50	12.00	6.75	12.00	0.750	1.600	2.100	0.270
24	14.00	12.50	7.00	13.50	0.800	1.800	2.300	0.290
		TOTAL			3.850	8.200	11.500	1.510
					17 G	13 G	10 G	19 G
25	14.50	13.00	7.25	15.25	1.100	1.900	2.500	0.320
26	15.00	13.50	7.50	17.00	1.150	2.150	2.750	0.340
27	15.50	14.00	7.75	19.00	1.300	2.300	2.900	0.360
28	16.00	14.50	8.00	21.00	1.400	2.400	3.200	0.380
		TOTAL			4.950	8.750	11.350	1.400
					13 G	9 G	16 G	
29	17.00	15.00	8.50	22.50		2.500	3.300	0.750
30	17.50	15.50	8.75	25.00		2.850	3.750	0.800
31	18.00	16.00	9.00	27.50		2.900	4.200	0.850
32	18.50	16.50	9.25	30.50		3.300	4.450	0.900
33	19.00	17.00	9.50	33.50		3.400	4.600	0.950
34	19.50	17.50	9.75	36.50		3.700	4.800	0.970
35	20.00	18.00	10.00	39.50		3.900	4.850	1.000
36	20.50	18.50	10.25	43.00		4.200	5.500	1.100
		TOTAL				26.750	35.450	7.320
					12 G	10 G	6 G	15 G
38	22.00	19.50	11.00	51.00	4.500	5.500	7.800	1.400
40	23.00	20.50	11.50	59.00	5.000	6.200	8.400	1.500
42	24.00	21.50	12.00	68.00	5.500	6.500	9.400	1.600
		TOTAL			15.000	18.200	25.600	4.500

Size	Edge to Edge	Inner Diameter	Height	Water Capacity	Weight Kgs.			
	Inch.	Inch.	Inch.		Light	Medium	Heavy	Lid
					12 G	10 G	6 G	15 G
44	25.00	22.50	12.50	78.00	6.000	7.000	9.550	1.700
46	26.00	23.50	13.00	89.00	6.400	7.600	11.500	1.900
48	27.00	24.50	13.50	100.00	6.800	8.400	12.500	2.000
50	28.00	25.50	14.00	113.00	7.500	9.200	13.600	2.250
		TOTAL			26.700	32.200	47.150	7.850
					12 G	10 G	5 G	14 G
52	29.50	26.50	15.00	130.00	8.300	10.000	15.700	2.800
54	30.50	27.50	15.50	145.00	8.700	10.700	17.000	3.100
56	31.50	28.50	16.00	163.00	9.500	11.600	18.200	3.400
58	32.50	29.50	16.50	180.00	10.000	12.000	19.200	3.600
60	33.50	30.50	16.75	195.00	10.500	13.000	20.400	3.800
		TOTAL			47.000	57.300	90.500	16.700
					10 G	5 G	14 G	
62	34.50	31.50	17.25	215.00		13.200	21.400	3.900
64	35.50	32.50	17.75	238.00		14.000	22.400	4.150
66	36.50	33.50	18.25	260.00		14.500	25.000	4.500
68	37.50	34.50	18.75	285.00		15.500	26.000	4.700
70	38.50	35.50	19.25	310.00		16.500	27.000	4.800
		TOTAL				73.700	121.800	22.050
						6 G	13 G	
72	39.50	36.00	19.50	325.00			35.500	5.500
74	40.50	37.00	20.00	350.00			37.000	5.750
76	41.50	38.00	20.50	380.00			38.500	6.000
80	43.50	40.00	21.50	440.00			48.000	7.000
84	45.50	42.00	22.00	510.00			50.000	7.500
		TOTAL					209.000	31.750
						5 G	12 G	
88	48.00	44.00	22.25	550.00			54.500	11.250
92	50.00	46.00	22.50	615.00			58.000	12.000
96	52.50	48.00	22.75	675.00			63.400	13.000
100	54.00	50.00	23.25	750.00			65.700	14.750

HANDLES

Code		Wt./Pc.	Code		Wt./Pc.	Code		Wt./Pc.
		Kgs.			Kgs.			Kgs.
H01S	Small	0.250	H02S	Small	0.200	H03S	Small	0.300
H01M	Medium	0.350	H02M	Medium	0.350	H03M	Medium	0.650
H01L	Large	0.700	H02L	Large	0.650	H03L	Large	1.000



ALUMINIUM PROFESSIONAL COOKWARE

TUB



(With Handle)
Thickness 14 G

Size	Bottom Diameter Inch.	Top Diameter Inch.	Height Inch.	Wt./Pc. Kgs.
30	11.00	15.00	8.50	1.900
32	12.00	16.00	8.50	2.000
34	13.00	17.00	8.75	2.300
36	14.00	18.00	9.25	2.700
38	15.00	19.00	10.00	3.100
40	16.00	20.00	10.00	3.300
42	17.00	21.00	11.00	3.600
44	18.00	22.00	12.00	4.000
46	19.00	23.00	12.00	4.400
48	20.00	24.00	12.00	5.000
50	21.00	25.00	13.00	5.400
52	22.00	26.00	13.50	6.800
56	24.00	28.00	14.50	7.800

Size	Bottom Diameter Inch.	Top Diameter Inch.	Height Inch.	Wt./Pc. Kgs.
19	16.00	19.50	4.00	1.600
20	17.00	20.50	4.00	1.800
22	18.00	21.50	4.00	2.000
24	19.00	22.50	4.00	2.100
26	20.00	23.50	4.00	2.350
28	21.00	24.50	4.00	2.600
30	22.00	25.50	4.25	2.800
32	23.00	26.00	4.25	3.000
34	24.00	28.00	4.25	3.250
36	25.00	29.00	4.50	3.500
38	28.00	31.50	4.50	4.700
40	29.00	33.00	4.75	5.300
42	31.50	35.25	4.75	5.750
44	33.00	37.50	5.00	6.400
46	36.00	41.00	5.00	7.000
48	38.00	42.50	5.00	8.100

PRANT



(Bombay shape)
Thickness 13 G

DEGDA WELDED



(Mathar)
Thickness 6 G

Size	Inner Diameter Inch.	Top edge Diameter Inch.	Bottom Diameter Inch.	Height Inch.	Rice Capacity Kgs.	Wt./Pc. Kgs.	Lid Kgs.
8	8.00	11.50	16.00	9.00	2.50	3.500	0.700
10	10.00	15.00	19.00	10.00	4.00	5.100	0.800
12	12.00	17.00	22.00	12.00	6.00	8.100	1.000
14	14.00	19.00	24.50	14.00	10.00	11.700	1.300
16	16.00	21.00	28.00	16.00	16.00	15.500	1.700
18	18.00	24.00	32.00	18.00	22.00	21.500	2.200
20	20.00	27.50	36.00	20.00	30.00	26.600	2.800
22	22.00	29.50	40.00	22.00	40.00	31.500	3.300
24	24.00	32.50	44.00	24.00	60.00	36.000	3.600
26	26.00	35.00	48.00	26.00	75.00	42.500	3.800

TOPE DEEP



(Without Joint) Kolgam
Thickness 10 G

Size	Inner Dia. Inch.	Height Inch.	Water Capacity Ltrs.	Wt./Pc. Kgs.
30	12.00	12.00	22.00	3.200
32	13.00	13.00	28.00	3.600
34	14.00	14.00	35.00	4.000
36	15.00	15.00	43.00	4.500
38	16.00	16.00	53.00	6.000
40	17.00	17.00	63.00	6.500
42	18.00	18.00	75.00	7.500
44	19.00	19.00	89.00	8.800
46	20.00	20.00	104.00	9.700
48	21.00	21.00	120.00	12.000
50	22.00	22.00	138.00	13.500
52	23.00	23.00	158.00	14.500
54	23.50	23.50	185.00	15.800
56	24.50	23.75	185.00	18.750
60	25.50	24.00	200.00	20.000
62	26.50	24.25	220.00	21.000
66	27.50	24.75	240.00	21.800
70	28.50	25.25	265.00	23.500
72	30.00	26.00	300.00	24.500



ALUMINIUM PROFESSIONAL COOKWARE

TUB WITH HOLE WITH BASE



(With Handle)
Thickness 14 G

Size	Bottom Diameter Inch.	Top Diameter Inch.	Height Inch.	Wt./Pc. Kgs.
32	12	16	9.50	3.000
34	13	17	9.75	3.500
36	14	18	10.25	3.700
38	15	19	11.00	4.350
40	16	20	11.50	4.700
42	17	21	12.00	5.150
44	18	22	12.50	6.150
46	19	23	13.00	6.900
48	20	24	13.50	7.100
50	21	25	14.50	7.900
52	22	26	15.00	8.550
56	24	28	15.50	9.300

BOYA/RICE STRAINER



Size	Top Diameter Inch.	Weight Kgs.	Remarks
10	10.00	0.280	without handle
11	11.00	0.320	without handle
12	12.00	0.350	without handle
13	13.00	0.430	without handle
14	14.00	0.480	without handle
15	15.00	0.580	without handle
16	16.00	0.900	without handle
18	18.00	1.250	without handle
20	20.00	2.000	with handle
22	22.00	2.500	with handle
24	24.00	3.200	with handle
26	26.00	3.650	with handle
28	28.00	4.100	with handle
30	30.00	4.500	with handle
32	32.00	4.850	with handle
36	36.00	8.250	with handle

TRAY



Size	Size (Inch)	Thickness (cm)	1"Deep (Wt. Kg.)	3"Deep (Wt. Kg.)
8X12	20X30	18 Swg	0.240	0.450
10X14	25X36	18 Swg	0.380	0.560
12X16	30X41	18 Swg	0.560	0.830
14X18	36X46	16 Swg	0.840	1.200
16X20	41X51	16 Swg	1.250	1.600
18X24	46X61	14 Swg	1.570	2.300
24X24	61X61	14 Swg	2.100	3.000

Disk Dia. Inch.	Handle Length Inch.	Weight Kgs.
6	18	0.800
7	22	1.000
8	26	1.200
9	30	1.300
10	36	1.600
11	40	1.800

ZARA



Designed for Traditional Indian Cooking

Made of Thick Aluminium Sheet



ALUMINIUM PROFESSIONAL COOKWARE

BUCKET



Size	Diameter Inches	Weight Kgs.	Capacity Lts.
14	7.00	0.500	2.50
16	8.00	0.600	3.50
18	9.00	0.710	5.50
20	10.00	0.850	8.50
22	11.00	0.970	11.00
24	12.00	1.290	14.00
26	13.00	1.500	18.00
28	14.00	1.700	23.00

Size	Weight Kgs	Capacity Lts.
10	0.320	1.000
12	0.400	1.600
14	0.500	2.500
16	0.600	3.750
18	0.800	5.000
20	1.000	7.200
22	1.300	9.500
24	1.600	12.500
26	2.200	15.500
28	2.600	20.000

KETTLE



KADAI



(With Handle)
Thickness 14 G

Size Inch.	Weight Kgs.
9	0.400
10	0.520
11	0.580
12	0.690
13	0.750
14	0.850

LADDLE



Circle Dia. Inch.	Weight Kgs.
5	0.300
6	0.330
7	0.350
8	0.400
9	0.500

PAWALI WELDED

(With Handle & Cover)
Thickness 12 G



Size	Dia. Inch.	Height Inch.	Water Ltrs.	Wt./Pc. Kgs.	Lid Kgs.
17	17.00	28.00	100.00	12.000	1.900
19	19.00	30.00	140.00	14.400	2.300
21	21.00	32.00	180.00	16.250	2.700
23	23.00	34.00	230.00	18.500	3.200
25	25.00	36.00	290.00	21.600	3.750
27	27.00	38.00	355.00	24.300	4.350
29	29.00	40.00	430.00	29.250	5.100

Designed for Traditional Indian Cooking

Made of Thick Aluminium Sheet



ALUMINIUM DOMESTIC COOKWARE

CASSEROLE



With cover & small side handles
Thickness 5 mm

Item Code	Diameter		Height		Wt./Pc.		Lid		Packing Details	
	Inch.	mm.	Inch.	mm.	Kgs.	Kgs.	Unit/Ctn.	Vol./Ctn.		
CRC06	6.00	150	3.50	90	0.600	0.160	18	0.05		
CRC07	7.00	180	4.00	100	0.850	0.180	18	0.07		
CRC08	8.00	200	4.25	110	1.100	0.240	12	0.08		
CRC09	9.00	230	5.00	125	1.550	0.280	12	0.12		
CRC10	10.00	250	5.50	140	1.600	0.340	12	0.15		
CRC11	11.00	280	6.50	165	2.100	0.420	12	0.19		
CRC12	12.00	305	7.00	180	2.750	0.480	8	0.15		
CRC13	13.00	330	8.00	200	3.700	0.580	8	0.17		
CRC14	14.00	355	8.50	215	4.250	0.680	8	0.19		

Item Code	Diameter		Height		Wt./Pc.		Lid		Packing Details	
	Inch.	mm.	Inch.	mm.	Kgs.	Kgs.	Unit/Ctn.	Vol./Ctn.		
CRFP06	6.00	150	2.00	50	0.450	0.180	80	0.11		
CRFP07	7.00	180	2.00	50	0.550	0.200	60	0.11		
CRFP08	8.00	200	2.00	50	0.650	0.240	60	0.11		
CRFP09	9.00	230	2.25	55	0.850	0.320	24	0.10		
CRFP10	10.00	250	2.25	55	1.000	0.380	24	0.10		
CRFP11	11.00	280	2.50	65	1.400	0.460	24	0.10		

FRY PAN



With cover & long bakelite or
wooden handle Thickness 4 mm

MILK PAN



With long wooden or bakelite handle
Thickness 3 mm

Item Code	Diameter		Height		Capacity	Wt./Pc.		Packing Details	
	Inch.	mm.	Inch.	mm.	Ltrs.	Kgs.	Unit/Ctn.	Vol./Ctn.	
CRMP06	6.00	150	4.50	110	1.00	0.500	36	0.07	
CRMP07	7.00	180	5.50	140	1.50	0.600	36	0.10	
CRMP08	8.00	200	6.50	165	2.50	0.800	24	0.07	
CRMP09	9.00	230	7.50	190	4.00	1.000	24	0.10	

Item Code	Diameter		Wt./Pc.		Lid		Packing Details	
	Inch.	mm.	Kgs.	Kgs.	Unit/Ctn.	Vol./Ctn.		
CRSP06	6.00	150	0.500	0.180	18	0.08		
CRSP07	7.00	180	0.650	0.200	18	0.08		
CRSP08	8.00	200	0.850	0.240	18	0.08		

STEW PAN



With cover & long wooden or
bakelite handle Thickness 3 mm

Designed for Domestic Use

Aesthetic Appeal

Fuel Efficient



ALUMINIUM CATERING COOKWARE

SAUCE POT

Double Thick Bottom & Top
Edge fitted With Aluminium Handles
Thickness 5 mm



Item Code	Diameter		Height		Capacity Quarts	Wt./Pc		Lid Kgs.
	Inch.	mm.	Inch.	mm.		Kgs.	Kgs.	
DTSP06	6.00	150	4.00	100	1.50	0.560	0.140	
DTSP07	7.00	180	4.50	110	3.00	0.760	0.160	
DTSP08	8.00	200	5.50	140	4.00	1.060	0.240	
DTSP09	9.00	230	6.00	150	5.50	1.480	0.300	
DTSP10	10.00	250	6.50	165	7.00	1.500	0.340	
DTSP11	11.00	280	7.00	180	9.00	2.200	0.480	
DTSP12	12.00	305	7.50	190	11.00	2.820	0.540	
DTSP13	13.00	330	8.50	215	16.00	3.560	0.600	
DTSP14	14.00	355	9.50	240	23.00	4.200	0.720	
DTSP16	16.00	405	10.50	265	32.00	5.200	0.800	
DTSP18	18.00	455	11.50	290	46.00	6.300	1.000	
DTSP20	20.00	510	12.50	315	60.00	7.850	1.400	

SAUCE PAN

Item Code	Top Dia.		Bottom Dia.		Height		Capacity Quarts	Wt./Pc Kgs.
	Inch.	mm.	Inch.	mm.	Inch.	mm.		
SPS06	6.00	150	4.50	110	4.00	100	1.50	0.500
SPS07	7.00	180	5.50	140	4.30	110	2.50	0.700
SPS08	8.00	200	6.50	165	4.50	115	3.50	0.900
SPS09	9.00	230	7.50	190	4.80	120	4.50	1.200
SPS10	10.00	250	8.50	215	5.00	125	7.00	1.300
SPS11	11.00	280	9.50	240	5.50	140	8.50	1.500
SPS12	12.00	305	10.50	265	6.00	150	10.00	1.700

Fitted With Long Stainless Steel Handle
and Aluminium Rivets Thickness 3 mm



STOCK POT

Double thick bottom & top edge
fitted with Aluminum handles



Thickness 4 mm

Item Code	Diameter		Height		Capacity Quarts	Wt./Pc		Lid Kgs.
	Inch.	mm.	Inch.	mm.		Kgs.	Kgs.	
DTSTP094	9.00	230	8.00	200	8.00	1.220	0.300	
DTSTP104	10.00	250	10.00	250	12.00	1.540	0.340	
DTSTP114	11.00	280	11.00	280	16.00	1.750	0.480	
DTSTP124A	12.00	305	12.00	305	20.00	2.050	0.540	
DTSTP124B	12.00	305	13.00	330	24.00	2.300	0.540	
DTSTP134	13.00	330	13.00	330	30.00	2.700	0.600	
DTSTP144	14.00	355	14.00	355	40.00	3.000	0.720	
DTSTP164	16.00	405	16.00	405	60.00	3.650	0.800	
DTSTP184	18.00	455	18.00	455	80.00	4.400	1.000	
DTSTP204	20.00	510	20.00	510	110.00	5.700	1.400	

Thickness 6 mm

DTSTP096	9.00	230	8.00	200	8.00	1.850	0.300	
DTSTP106	10.00	250	10.00	250	12.00	2.450	0.340	
DTSTP116	11.00	280	11.00	280	16.00	2.800	0.480	
DTSTP126A	12.00	305	12.00	305	20.00	3.100	0.540	
DTSTP126B	12.00	305	13.00	330	24.00	3.550	0.540	
DTSTP136	13.00	330	13.00	330	30.00	4.000	0.600	
DTSTP146	14.00	355	14.00	355	40.00	4.600	0.720	
DTSTP166	16.00	405	16.00	405	60.00	5.200	0.800	
DTSTP186	18.00	455	18.00	455	80.00	6.720	1.000	
DTSTP206	20.00	510	20.00	510	110.00	8.400	1.400	



Robust Design for Institutional Kitchens

Metallic Handles

Made of Thick Aluminium Sheet



ALUMINIUM CATERING COOKWARE

FRY PAN

Fitted with stainless steel handle & Aluminium rivets
Thickness 4 mm



Item Code	Top Dia.		Height		Wt./Pc	
	Inch.	mm.	Inch.	mm.	Kgs.	
FPS07	7.00	180	1.50	35	0.450	
FPS08	8.00	200	1.75	40	0.650	
FPS10	10.00	250	2.00	50	1.100	
FPS12	12.00	305	2.25	55	1.500	
FPS14	14.00	355	2.50	60	1.800	

SAUTE PAN

Item Code	Diameter		Height		Capacity		Wt./Pc		Lid Kgs.
	Inch.	mm.	Inch.	mm.	Quarts	Kgs.	Kgs.		
SP08	8.00	200	2.25	55	2.00	1.100	0.250		
SP10	10.00	250	2.35	60	3.00	1.500	0.350		
SP12	12.00	305	2.50	65	5.00	2.100	0.500		
SP14	14.00	355	3.00	75	7.50	2.800	0.750		

Fitted With Aluminum Handle
Thickness 5 mm



BRAZIER



Fitted With Aluminum Handles
Thickness 5 mm

Item Code	Diameter		Height		Capacity		Wt./Pc		Lid Kgs.
	Inch.	mm.	Inch.	mm.	Quarts	Kgs.	Kgs.		
BZ10	10.00	250	3.25	80	4.40	1.500	0.350		
BZ12	12.00	305	3.50	90	6.75	1.900	0.500		
BZ14	14.00	355	3.75	95	10.00	2.900	0.750		
BZ16	16.00	405	4.00	100	13.75	3.600	0.900		
BZ18	18.00	455	4.50	115	19.75	4.400	1.200		
BZ20	20.00	510	5.00	125	27.00	5.300	1.400		



Robust Design for Institutional Kitchens Metallic Handles Made of Thick Aluminium Sheet

ALUMINIUM DOMESTIC COOKWARE

KARAHI



Round & flat bottom with Aluminium handles

Item Code	Thickness	Diameter		Wt./Pc.	Packing Details	
	mm.	Inch.	mm.	Kgs.	Unit/Ctn.	Vol./Ctn.
CRK06	3.00	6.00	150	0.300	24	0.08
CRK07	3.00	7.00	180	0.400	24	0.10
CRK7.5	3.00	7.50	190	0.450	24	0.11
CRK08	4.00	8.00	200	0.800	12	0.80
CRK09	4.00	9.00	230	1.000	12	0.16
CRK10	4.00	10.00	250	1.150	12	0.16
CRK11	4.00	11.00	300	1.200	12	0.16
CRK12	4.00	12.00	350	1.300	12	0.31
CRK13	4.00	13.00	400	2.000	6	0.17
CRK14	4.00	14.00	450	2.350	6	0.20

VAGARIA



With curved bakelite handle
Thickness 3 mm

Item Code	Diameter		Wt./Pc.	Packing Details	
	Inch.	mm.	Kgs.	Unit/Ctn.	Vol./Ctn.
CRVS	3.35	85	0.170	48	0.05
CRVM	4.00	100	0.200	48	0.07
CRVL	4.35	110	0.250	48	0.10
CRVEL	5.00	125	0.300	48	0.12

PLAIN TAVA



With bakelite handle or SS handle

Item Code	Thickness	Diameter		Wt./Pc.	Packing Details	
	mm.	Inch.	mm.	Kgs.	Unit/Ctn.	Vol./Ctn.
CRPT106	6.00	10.00	250	1.000	12	0.14
CRPT093	3.00	9.00	230	0.450	24	0.11
CRPT103	3.00	10.00	250	0.600	24	0.11
CRPT113	3.00	11.00	280	0.700	24	0.11

TOPE POLISHED



Thickness 3 mm

Item Code	Diameter		Wt./Pc.	Lid	Packing Details	
	Inch.	mm.	Kgs.	Kgs.	Unit/Ctn.	Vol./Ctn.
CRTOP06	6.00	150	0.450	0.160	24	0.07
CRTOP07	7.00	180	0.600	0.180	24	0.10
CRTOP08	8.00	200	0.750	0.240	24	0.11
CRTOP09	9.00	230	1.000	0.280	12	0.80
CRTOP10	10.00	250	1.250	0.340	12	0.16

Designed for Domestic Use

Aesthetic Appeal

Fuel Efficient



about us

JK Metal Industries has been a manufacturer and exporter of Aluminium cookware since 1972. The company has attained a sound business reputation since then, not only in India but in all markets world over. We have been exporting to the Middle East, African Continent, United Kingdom, Netherlands, Canada, U.S.A. etc. for over three decades. The "JK" brand of Aluminium Cookware is the bench mark in every sense for all our competitors.

The group as a whole is integrated backward to the extent that we do our own melting, casting and rolling. Very few manufacturers in India can make this claim. For our customers this means that we have a much more versatile manufacturing environment and a wider product range at lower costs and better quality.

We have our own die making workshop with the ability to make almost any kind of die in house. This translates into shorter development times for new products.

We offer the widest range of product finishes and accessories. Handles of stainless steel, wood, bakelite and plastic are available.

Our integrated systems also allow us to offer customers the choice of getting products made to their particular requirements. This is not reflected in our catalogue and our website because of customer commitments but details can be made available on request.

At present we are proud to be the largest manufacturers of Aluminium Cookware in India. We also have the widest range of Aluminium Cookware.














Our commitment to uncompromising pursuit of quality has won us numerous awards.

For details please see our website
www.jkmetal.com



"ALUMINIUM is the best metal next to gold and platinum for cooking, it is even better than silver"
British Medical Journal

GAUGE CONVERSIONS

3 G		6.30 mm
4 G		5.80 mm
6 G		4.90 mm
8 G		4.00 mm
10 G		3.20 mm
12 G		2.60 mm
14 G		2.00 mm
15 G		1.90 mm
16 G		1.60 mm
17 G		1.40 mm
18 G		1.20 mm
19 G		1.00 mm
20 G		0.90 mm

METRIC CONVERSIONS

1 Inch. = 2.54 cm. = 25.40 mm.

1 Kg. = 2.205 lbs.

LIQUID CONVERSIONS

1 Ltr. = 1.10 Quarts

1 Quart = 2.00 Pints



JK Metal Industries

Gobindpuri Road, Jagadhri - 135 003

Haryana, INDIA

+91 1732 241904-05-06

info@jkmatal.com

www.jkmatal.com